

What is claimed is:

1. An anisotropy analyzing method comprising the steps of:
preparing two light beams having the same wavelength of which the
plane of polarization are crossed at a given angle,
introducing the two light beams into a sample to be measured in
anisotropy at the same time,
rotating the plane of polarization of one of the two light beams by the
given angle so as to correspond to that of the other of the two light beams,
after passing the two light beams through the sample,
superimposing the two light beams, and
observing an interference pattern of the thus obtained superimposed light
beam.
2. An anisotropy analyzing method as defined in claim 1, wherein the
given angle is 90 degrees.
3. An anisotropy analyzing method as defined in claim 1, comprising
the step of superimposing the two light beams before introducing into the
sample, whereby the thus obtained superimposed light beam is introduced into
the sample.
4. An anisotropy analyzing method as defined in claim 3, wherein the
given angle is 90 degrees.
5. An anisotropy analyzing method as defined in claim 1, wherein the
two light beams are introduced into the sample so that their beam directions
are crossed.
6. An anisotropy analyzing method as defined in claim 5, wherein the
given angle is 90 degrees.
7. An anisotropy analyzing method comprising the steps of:
preparing a single polarized light beam,
introducing the single polarized light beam into a sample to be measured,
dividing the single polarized light beam into two light beams, after

passing through the sample,

superimposing the two divided light beams, and

observing an interference pattern of the thus obtained superimposed light beam.

8. An anisotropy analyzing apparatus comprising:

,before a sample to be measured in anisotropy,

a laser source to generate and oscillate a light beam to be used in anisotropy analysis

a light beam-dividing means to divide a light beam from the laser source into two light beams, and

a first plane of polarization-rotating means to rotate the plane of polarization of one of the thus obtained two divided light beams by a given angle,

,after the sample to be measured in anisotropy,

a second plane of polarization-rotating means to rotate the plane of polarization of the one or the other of the two divided light beams by the given angle so that their planes of polarization can correspond each other,

a light beam-superimposing means to superimpose the two divided light beams, and

a light beam-projecting means to project and observe an interference pattern of the thus obtained superimposed light beam.

9. An anisotropy analyzing means as defined in claim 8, wherein at least one of the first and the second plane of polarization-rotating means is composed of a half-wave plate.

10. An anisotropy analyzing means as defined in claim 8, wherein at least one of the light beam-dividing means and the light beam-superimposing means is composed of a half mirror.

11. An anisotropy analyzing apparatus as defined in claim 1, further comprising:

,before the sample to be measured in anisotropy, another light beam-superimposing means to superimpose the two divided light beams after the first plane of polarization-rotating means

,after the sample to be measured in anisotropy, a light beam-splitting means to split the superimposed light beam before the second plane of polarization-rotating means.

12. An anisotropy analyzing means as defined in claim 11, wherein at least one of the first and the second plane of polarization-rotating means is composed of a half-wave plate.

13. An anisotropy analyzing means as defined in claim 11, wherein at least one of the light beam-dividing means and the light beam-superimposing means is composed of a half mirror.

14. An anisotropy analyzing means as defined in claim 11, wherein the another light beam-superimposing means is composed of a half mirror.

15. An anisotropy analyzing means as defined in claim 11, wherein the light beam-splitting means is composed of a polarized light beam splitter.